



Grid = 100,00 mils




PAD-STACK DEFINITIONS (mi)							
PIN	RNG	LVL	SIZE	SH	ORI	LEN/ID	OFFSET
All		DRL	31	PL			
		Top	59	R			
		Int	59	R			
1		Bot	59	R			
		DRL	31	PL			
		Top	59	S			
		Int	59	R			
		Bot	59	S			

DECAL:			DIP8			COMPANY:		
						Lynnerup ECAD		
TERMS: 8		HEIGHT:		DRAWING DATE:				
MEASUREMENTS (mm)		X		Y		LIBRARY:		
Origin to term.1		-3,81		-3,81		LEADX		
Term.1 to term.2		2,54		0				
SCALE: 10 : 1		PLOTDATE: 27/8-02		APPROVED DATE:				
FORM.NO:			PAGE 1 OF 1					




Grid = 100,00 mils




PAD-STACK DEFINITIONS (mi)							
PIN	RNG	LVL	SIZE	SH	ORI	LEN/ID	OFFSET
All		DRL	31	PL			
		Top	59	R			
		Int	59	R			
		Bot	59	R			

DECAL:			PO-BOUR-3006P			COMPANY:			Lynnerup ECAD		
TERMS:		3	HEIGHT:			DRAWING DATE:					
MEASUREMENTS (mm)			X	Y	APPROVED DATE:			LIBRARY:			
Origin to term.1			6,35	1,27				LEADX			
Term.1 to term.2			-5,08	-2,54							
SCALE:		7 : 1	PLOTDATE:		27/8-02	FORM.NO:			PAGE 1 OF 1		



Grid = 100,00 mils



PAD-STACK DEFINITIONS (mi)							
PIN	RNG	LVL	SIZE	SH	ORI	LEN/ID	OFFSET
All		DRL	51	PL			
		Top	118	R			
		Int	118	R			
		Bot	118	R			

DECAL:			COMPANY:		
PO-ROHM-CIP160C			Lynnerup ECAD		
TERMS:	5	HEIGHT:	DRAWING DATE:		
MEASUREMENTS (mm)		X	Y	APPROVED DATE:	
Origin to term.1		5	-3,8		
Term.1 to term.2		-5	0		
SCALE:	5 : 1	PLOTDATE:	27/8-02	FORM.NO:	PAGE 1 OF 1